
Smart LED Tri-proof Light

360 Degree Lighting Solutions

- · Cylinder design for aggressive environments
- · IP69K can stand 1450psi high pressure wash-down
- · Easily tool-free installation with buckle clips bracket
- · Lamp angle can easily be 360 Degree adjusted
- · Nonporous & sealed design ensures free of corrosion, dust, dirt, insects, moisture and bacteria.
- · PC, PMMA material option.

years warranty

m/W































Product Features

- Cylinder design for aggressive environments
- IP69K can stand 1450psi high pressure wash-down
- Easily tool-free installation with buckle clips bracket
- Lamp angle can easily be 360 Degree adjusted
- Nonporous & sealed design ensures free of corrosion, dust, dirt, insects, moisture and bacteria.
- PC, PMMA material option.

PC :Impact / Fire Resistant, Chemical / UV Resistance PMMA:Corrosion Resistance.Anti-ammonia & Anti-UV

- S304 / S316 Stainless teel Components option
- IK10 Protection, 94V0 materials

Product Specifications

LED & Optical Assembly

- CCT: 3000K.4000K,5000K
- · CRI: 80 and 90 CRI options
- System Efficiency: Up to 130lm/W and 170lm/w
- Distribution/Lenses: diffused lens standard, clear lens optional

Ratings & Evaluations

- Operating Temperature: -30°C +45°C (-22°F to 122°F).
- Location: IP69K Suitable for aggressive environments, IK10 Protection, 94V0 materials
- Safety: ETL/cETL CE SAA CB

Electrical

- Input Wattage: 28W,36W,45W,48W,60W
- Input Voltage: 100-277VAC/ 200-240VAC for EU (347V available)
- System Power Factor (PF): >0.9
- · Mounting: Ceiling Mounted and Suspending option


Controls

- Dimming:0-10VDC Dim ,std for US,Non-dimmable,std for EU.
 Dali2,MDX512 optional
- Wireless Networking & Sensing: Motion Sensor on/off - MS01 Motion Sensor 3-step dimming-MS02 ZigBee Wireless- ZG01 Bluetooth Wireless- BT01


Smart Sensor

ON/OFF and Automatic Dimming Functions
On-demand lighting for maximum energy saving

1. ON/OFF Function (stand-by period set at '0')







With insufficient ambient light, the sensor switches on the light when motion is detected.



3 After elapse of hold time, the sensor switches off the light when no motion is detected





 If there is no motion detected the light will be remained at a low light level all the time.



When motion is detected, the sensor will switch on the light to 100% brightness



3 After elapse of hold time, the sensor dims the light at the present low light level if no motion is detected.

Ordering Information:

MODEL SELECTION			Typical order example: VTP36-50-90LSR							
PRODUCT ID	MAX WATTAGE	FIXTURE LENGTH	EFFICIENCY	CCT&CRI	OPTICS /LENS	VOLTAGE	DIMMING	SENSOR/ WIRELESS CONTROLS	MOUNTING	OPTIONS
VTP										
VTP= Victory Series IP69K Tri-Proof Vapor Tight	28=28W 36=36W 45=45W 48=48W 60=60W	2T=2ft 4T=4ft 5T=8ft	(OMIT)= Standard Efficiency, std; P = Premium Efficiency	30 =3000K 40 = 4000K 50 = 5000K Default is 5000K	(OMIT)= Diffused Lens C = Clear Lens	(OMIT) = 120-277V, std EU= 200-240v,std H= 120-347V HV=200-480	D0 = 0-10VDC ,Dim down to OFF; DA = Dali	(OMIT)=None,std; MS1=Motion Sensor on/off MS2=Motion Sensor 3-step dimming ZG01=Zigbee control BT01=Bluetooth control	(OMIT)= Standard Chain/Cable or Surface mount, std (chain not included)	EM=EM - Emergency Backup SPT=Surge protector 10kv

Ranch/Agriculture/Food-processing

Smart LED High Bay Light

IP69K, Corrosion Resistance, Chemical Resistance, Anti-ammonia

- UP TO 10 years warranty
 - 140 **200** lm/W
- Nonporous & sealed smooth body design ensures free of corrosion,dus,dirt, insects,moisture and bacteria.
- Compatible with 3rd party smart network control system



Sensor Ready Sleek LED High Bay / Hall Light

- UP TO 10 years warranty
- 140 **200** lm/W

- · Sensor pluggable, adding sensors whenever you need
- Easy maintenance with tool-free opened driver box
- Sealed sleek structure design, corrosion resistance, anti-ammonia, dust proof
- Power & CCT field-adjustable, reduce SKUs by up to 80%
- Efficiency up to 200 LPW, delivers up to 46000 lumens
- Various lens/glasses & lampshades covering all your application needs







80% Less SKU, 80% Additional Saving

• Up to 200lm/W • Plug & Play Smart Sensors • Power & CCT Field-Adjustable





Sensor Ready Multipurpose Hall Light Power & CCT field-adjustable



High Temperature Hall Light / Crane light



Ranch/Agriculture/ Food-processing IP69K, Corrosion Resistance



Italy Design HighBay/Hall Light Dust-free, Corrosion Resistance Power & CCT field-adjustable



HighBay/Hall Light



Sports Light High Mast Light



Aisle Optics, Sensor Ready Power & CCT Adjustable



Aisle Optics Power & CCT Adjustable



Sensor Pluggable Power & CCT Adjustable



Sensor Pluggable Tri-proof Power & CCT Adjustable



Ranch/Agriculture/ Food-processing IP69K, Corrosion Resistance



Street / Area Luminaire Power Adjustable, Rotatable Optics

























Contact Information: